

Griffe

Door Handles

SMART LOCK
Smart Security Modern Style



Griffe

Door Handles

AUTOMATIC SMART LOCK




Fully automatic 3D face smart lock




Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0105
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Black
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m³
Weight of the wholeCTN	20.32kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



OPTIONAL LOCK BODY




Fully automatic 3D face smart lock




Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0106
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Black
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m³
Weight of the wholeCTN	23.3kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



OPTIONAL LOCK BODY




Fully automatic 3D face smart lock




Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0108
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Black
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m ³
Weight of the wholeCTN	23.3kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



OPTIONAL LOCK BODY




Fully automatic 3D face smart lock




Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0109
Main material	Alloy steel
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Black
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m³
Weight of the wholeCTN	23.3kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



OPTIONAL LOCK BODY




Fully automatic 3D face smart lock




gray

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0111
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Gray
Power supply mode	4200mAh+4200mAh
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m ³
Weight of the wholeCTN	26kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



OPTIONAL LOCK BODY




Fully automatic 3D face smart lock



Black

gray

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0113
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 300
Face capacity	50
Product color	Black/Grey
Power supply mode	4200+2500mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m³
Weight of the wholeCTN	25.8kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Face unlocking



Fingerprint



Password



Card



Key



Temporary
password



Ttlock App
(Optional)



Tuya App
(Optional)



USB



Camera

OPTIONAL LOCK BODY



30/40X388



24X240



30X240



85 lock body



6085 lock body


Fully automatic 3D face smart lock



Rose gold


Snow grey

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0116
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	black/Mocha brown/grey
Power supply mode	4200+2500(mAH)
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m³
Weight of the wholeCTN	23.5kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



OPTIONAL LOCK BODY



30/40X388



24X240



30X240

Fully automatic 3D face smart lock



Facial style



Camera




Basic model



Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	9001
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	black
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m³
Weight of the wholeCTN	19.22kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Face unlocking



Fingerprint



Password



Card



Key



Temporary password



Ttlock App (Optional)



Tuya App (Optional)



USB



Camera

OPTIONAL LOCK BODY



30/40X388



24X240



30X240




85 lock body



6085 lock body



5572 lock body




Israeli Lock Body

Fully automatic 3D face smart lock




 Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	9004
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	black
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m³
Weight of the wholeCTN	23kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Face unlocking



Fingerprint



Password



Card



Key



Temporary
password



Ttlock App
(Optional)



Tuya App
(Optional)



USB



Camera

OPTIONAL LOCK BODY



30/40X388



24X240



30X240



85 lock body



6085 lock body


Fully automatic 3D face smart lock



Basic model

Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	9005
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	black
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m³
Weight of the wholeCTN	19.22kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Face unlocking



Fingerprint



Password



Card



Key



Temporary
password



Ttlock App
(Optional)



Tuya App
(Optional)



USB



Camera

OPTIONAL LOCK BODY




Fully automatic 3D face smart lock



Black

Black gold

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	9006
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Black/black gold
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.058m³
Weight of the wholeCTN	23.5kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Face unlocking



Fingerprint



Password



Card



Key



Temporary password



Ttlock App (Optional)



Tuya App (Optional)



USB



Camera

OPTIONAL LOCK BODY



30/40X388

24X240

30X240

85 lock body

6085 lock body

5572 lock body

Israeli Lock Body



Exclusive for Tongtong
Fully automatic 3D face smart lock



Black

TECHNICAL PARAMETERS/FUNCTIONS

Product model	0120
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 1300
Face capacity	100
Product color	black
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole package parameters	0.063m ³
Weight of the whole CTN	26kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Face unlocking



Fingerprint



Password



Card



Key



Temporary
password



Palm Vein




USB



Camera

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388



24X240



30X240



85 lock body




6085 lock body

Fully automatic 3D face smart lock Semi-automatic smartlock



Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0102
Main material	Alloy steel
Fingerprint/password/credit card capacity	Total 200
Product color	Black
Power supply mode	4*AA
Packing specification	1ctn 5PCS
Whole package parameters	0.063m ³
Weight of the whole CTN	21.34kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Fingerprint



Password



Card



Key



Temporary
password



Ttlock App
(Optional)



Tuya App
(Optional)



USB

OPTIONAL LOCK BODY



30/40X388



24X240



30X240



85 lock body




6085 lock body



5572 lock body

Optional Israeli lock body Fully automatic 3D face smart lock



Israeli Lock Body



Black Black gold

TECHNICAL PARAMETERS/FUNCTIONS

Product model	9007
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Black/black gold
Power supply mode	4200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m ³
Weight of the wholeCTN	25.05kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Face unlocking



Fingerprint



Password



Card



Key



Temporary password



Ttlock App (Optional)



Tuya App (Optional)




USB




Camera

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388

24X240

30X240

85 lock body

6085 lock body

5572 lock body



SEMI AUTOMATIC SMARTLOCK



Fully automatic 3D face smart lock
Semi-automatic smartlock



Black

TECHNICAL PARAMETERS/FUNCTIONS

Product model	0102
Main material	Alloy steel
Fingerprint/password/credit card capacity	Total 200
Product color	Black
Power supply mode	4*AA
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m ³
Weight of the wholeCTN	21.34kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Fingerprint



Password



Card



Key



Temporary
password



Ttlock App
(Optional)




Tuya App
(Optional)



USB

PRODUCT SIZE



OPTIONAL LOCK BODY



30/40X388

24X240

30X240

85 lock body

6085 lock body

5572 lock body

Fully automatic 3D face smart lock

Semi-automatic smartlock



Basics




Facial style



Camera



PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0104
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Black/Sky grey
Power supply mode	4*AA
Facial cat eye power supply	3200mAH
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m ³
Weight of the wholeCTN	18.65kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm



Face unlocking



Fingerprint



Password



Card



Key



Temporary password



Ttlock App (Optional)



Tuya App (Optional)



USB



Camera

OPTIONAL LOCK BODY



30/40X388



24X240



30X240



85 lock body



6085 lock body



5572 lock body

Fully automatic 3D face smart lock

Semi-automatic smartlock


TECHNICAL PARAMETERS/FUNCTIONS

Product model	0122
Main material	Aluminum alloy
Capacity	Fingerprint 120/password 150/creditcard 1000
Product color	Black
Power supply mode	4*AA
Packing specification	1ctn 5PCS
Whole packageparameters	0.063m³
Weight of the wholeCTN	20.12kg
Applicable temperature	-25°C-70°C
Applicable door thickness	40-120mm

			
Fingerprint	Password	Card	Key
			
Temporary password	Ttlock App (Optional)	Tuya App (Optional)	USB

Black

PRODUCT SIZE



OPTIONAL LOCK BODY





ROOM DOOR SMART LOCK



Fully automatic 3D face smart lock


Room door smart lock

TECHNICAL PARAMETERS/FUNCTIONS


Product model	0204
Main material	Alloy steel
Fingerprint/password/credit card capacity	Total 200
Product color	Black
Power supply mode	4*AA
Packing specification	1ctn 10PCS
Whole packageparameters	0.113m ³
Weight of the wholeCTN	23.85kg
Applicable temperature	-10°C-60°C
Applicable door thickness	35-50mm



Black



PRODUCT SIZE



OPTIONAL LOCK BODY




Fully automatic 3D face smart lock

Room door smart lock




Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0205
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Black
Power supply mode	4*AA
Facial cat eye power supply	2500mAH
Packing specification	1ctn 10PCS
Whole packageparameters	0.113m ³
Weight of the wholeCTN	22.6kg
Applicable temperature	-10℃-60℃
Applicable door thickness	35-50mm



OPTIONAL LOCK BODY




Fully automatic 3D face smart lock
Room door smart lock

TECHNICAL PARAMETERS/FUNCTIONS


Product model	0210
Main material	Aluminum alloy
Capacity	Fingerprint 120/password 150/creditcard 1000
Product color	Black
Power supply mode	4*AA
Packing specification	1ctn 10PCS
Whole packageparameters	0.057m ³
Weight of the wholeCTN	14.69kg
Applicable temperature	-10°C-60°C
Applicable door thickness	35-50mm



 Black



PRODUCT SIZE



OPTIONAL LOCK BODY



Fully automatic 3D face smart lock


Room door smart lock



Gold


Bronze

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0215
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Product color	Gold/Bronze
Power supply mode	4*AA
Packing specification	1ctn 10PCS
Whole packageparameters	0.113m ³
Weight of the wholeCTN	24.2kg
Applicable temperature	-25℃-70℃
Applicable door thickness	35-55mm



OPTIONAL LOCK BODY




Fully automatic 3D face smart lock

Room door smart lock



Black

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0218
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Face capacity	50
Product color	Black
Power supply mode	2500mAH
Packing specification	1ctn 10PCS
Whole packageparameters	0.113m ³
Weight of the wholeCTN	22.6kg
Applicable temperature	-25°C-70°C
Applicable door thickness	35-55mm



Face unlocking



Fingerprint



Password



Card



Key



Temporary
password



Ttlock App
(Optional)



Tuya App
(Optional)



USB



Camera

OPTIONAL LOCK BODY



50 series lock body

50 series side strips apply
125mm-200mm



85 lock body



6085 lock body



5572 lock body



ATRESIA




ATRESIA




TECHNICAL PARAMETERS/FUNCTIONS

Product model	0302
Main material	Aluminium alloy
Fingerprint/password capacity	Total 200
Product color	Black/Silver
Power supply mode	4*AA
Packing specification	1ctn 20PCS
Whole packageparameters	0.071m³
Weight of the wholeCTN	19kg
Applicable temperature	-25°C-70°C
Applicable door thickness	35-65mm



PRODUCT SIZE



OPTIONAL LOCK BODY




Dumb lock body

ATRESIA



Matte black Nickel wire drawing

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0403
Main material	Aluminium alloy
Fingerprint/password/card capacity	Total 1250
Product color	Matte black/Nickel wire drawing
Power supply mode	4*AA
Packing specification	1ctn 10PCS
Whole package parameters	0.071m ³
Weight of the whole CTN	17.5kg
Applicable temperature	-25°C-70°C
Applicable door thickness	35-65mm



Fingerprint



Password



Card



Key



Temporary
password



Ttlock App
(Optional)



Tuya App
(Optional)



USB

OPTIONAL LOCK BODY



Single Tongue Lock Body


ATRESIA



Black

Silver

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	9201
Main material	Aluminium alloy
password capacity	100
Product color	Black/silver
Power supply mode	4*AAA
Packing specification	1ctn 18PCS
Whole packageparameters	0.046m³
Weight of the wholeCTN	15.4kg
Applicable temperature	-25°C-70°C
Applicable door thickness	35-65mm



Password



Key



Temporary password



Ttlock App (Optional)



Tuya App (Optional)



USB

OPTIONAL LOCK BODY




Dumb lock body

ATRESIA




PRODUCT SIZE




TECHNICAL PARAMETERS/FUNCTIONS

Product model	9202
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Product color	Black/silver
Power supply mode	4*AAA
Packing specification	1ctn 18PCS
Whole packageparameters	0.046m ³
Weight of the wholeCTN	15.4kg
Applicable temperature	-25°C-70°C
Applicable door thickness	35-65mm



OPTIONAL LOCK BODY



Dumb lock body



INDOOR SMART BALL LOCK




INDOOR SMART BALLOCK



Black


Silver

PRODUCT SIZE




TECHNICAL PARAMETERS/FUNCTIONS

Product model	0502
Main material	Aluminum alloy + Stainless steel
Fingerprint capacity	100 pieces
Product color	Black/Silver
Power supply mode	Ternary lithium battery
Packing specification	1ctn 30PCS
Whole packageparameters	0.080m³
Weight of the wholeCTN	21.8kg
Applicable temperature	-10°C-60°C
Applicable door thickness	35-55mm



OPTIONAL LOCK BODY



Single Tongue Lock Body


INDOOR SMART BALLOCK



Black

Silver

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0503
Main material	Aluminum alloy + Stainless steel
Cryptographic capacity	100 groups
Product color	Black/Silver
Power supply mode	Ternary lithium battery
Packing specification	1ctn 30PCS
Whole packageparameters	0.080m³
Weight of the wholeCTN	22.1kg
Applicable temperature	-10℃-60℃
Applicable door thickness	35-55mm



Password



Key



APP unlock



Bluetooth



Ttlock App
(Optional)



Tuya App
(Optional)



USB

OPTIONAL LOCK BODY



Single Tongue Lock Body

INDOOR SMART BALLOCK




Black

Silver

tea gold

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0506
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Product color	Black/silver/tea gold
Power supply mode	4*AAA
Packing specification	1ctn 24PCS
Whole packageparameters	0.085m³
Weight of the wholeCTN	21.67kg
Applicable temperature	-10°C-60°C
Applicable door thickness	35-55mm



Fingerprint



Password



Key



Temporary password



Ttlock App (Optional)



Tuya App (Optional)



USB



WiFi

OPTIONAL LOCK BODY



Single Tongue Lock Body




INTERIOR DOOR HANDLE LOCK



Interior door handle lock




PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0604
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Product color	Black/silver/gray/Champagne gold/coffee
Power supply mode	4*AAA
Packing specification	1ctn 12PCS
Whole packageparameters	0.056m³
Weight of the wholeCTN	11.4kg
Applicable door thickness	35-65mm
Applicable temperature	-20℃-65℃



OPTIONAL LOCK BODY




Interior door handle lock



Black


silver

PRODUCT SIZE




TECHNICAL PARAMETERS/FUNCTIONS

Product model	9401
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 300
Product color	Black/silver
Power supply mode	4*AAA
Packing specification	1ctn 20PCS
Whole packageparameters	0.069m³
Weight of the wholeCTN	15kg
Applicable temperature	-25°C-70°C
Applicable door thickness	35-65mm



OPTIONAL LOCK BODY



Single Tongue Lock Body



50 series lock body

50 series side strips apply
125mm-200mm



INTELLIGENT LOCK CYLINDER



Intelligent lock cylinder



Golden Black Silver

TECHNICAL PARAMETERS/FUNCTIONS

Product model	0704
Main material	Aluminium alloy
Fingerprint/password capacity	300
Card capacity	1000
Product color	Black/Silver/Gold
Power supply mode	4*AAA
Packing specification	1ctn 12PCS
Whole package parameters	0.025m ³
Weight of the whole CTN	7.3kg
Applicable temperature	-20°C-55°C
Applicable door thickness	35-70mm



Password



APP unlock



Fingerprint



Ttlock App
(Standard)



Card



Tuya App
(Standard)




Key



USB

PRODUCT SIZE



Intelligent lock cylinder



Golden Black Silver

TECHNICAL PARAMETERS/FUNCTIONS

Product model 0705

Main material Aluminium alloy

Password/card capacity 1250

Product color Black/Silver/Gold

Power supply mode 4*AAA

Packing specification 1ctn 12PCS

Whole package parameters 0.025m³

Weight of the whole CTN 7.3kg

Applicable temperature -20°C-55°C

Applicable door thickness 35-70mm



Password



Key



APP unlock



Card



Ttlock App
(Standard)




Tuya App
(Standard)



USB

PRODUCT SIZE





WIRE-FREE FINGERPRINT CARD LOCK




Wire-free fingerprint swipe card lock




TECHNICAL PARAMETERS/FUNCTIONS

Product model	0801
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Product color	Black
Power supply mode	4*AA
Packing specification	1ctn 12PCS
Whole packageparameters	0.065m³
Weight of the wholeCTN	18.5kg
Applicable temperature	-20°C-70°C
Applicable door thickness	40-120mm



PRODUCT SIZE



Wire-free fingerprint swipe card lock



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0802
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 300
Product color	Black
Power supply mode	4*AA
Packing specification	1ctn 12PCS
Whole packageparameters	0.065m ³
Weight of the wholeCTN	17.5kg
Applicable temperature	-20°C-70°C
Applicable door thickness	40-120mm



Fingerprint



Password



Card



Key



Temporary password



Ttlock App (Optional)




Tuya App (Optional)



USB

PRODUCT SIZE





BROKEN BRIDGE ALUMINUM SMART LOCK




Semi-automatic bridge breaking aluminum smart lock



black silver

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model 0902

Main material Aluminium alloy

Fingerprint/password/credit card capacity Total 200

Product color Black/Silver

Power supply mode 4*AAA

Packing specification 1ctn 10PCS

Whole package parameters 0.13m³

Weight of the whole CTN 21.2kg

Applicable temperature -30°C-60°C

Applicable door thickness 30-120mm



Fingerprint



Password



Card



Key



Temporary password



Ttlock App (Optional)



Tuya App (Optional)



USB

OPTIONAL LOCK BODY



85 series multi-point lock body



85 series single point lock body



85 double channel series single point lock body



85 double-channel series multi-point lock body



92 series single point lock body


Semi-automatic bridge breaking aluminum smart lock



Short handle

Golden black silver

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0905
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Product color	Black/Golden/Silver
Power supply mode	4*AAA
Packing specification	1ctn 10PCS
Whole packageparameters	0.13m ³
Weight of the wholeCTN	20.7kg
Applicable temperature	-20°C-70°C
Applicable door thickness	30-120mm



Fingerprint



Password



Card



Key



Temporary password



Ttlock App (Optional)



Tuya App (Optional)



USB

OPTIONAL LOCK BODY



85 series multi-point lock body



85 series single point lock body



85 double channel series single point lock body



85 double-channel series multi-point lock body



92 series single point lock body

Semi-automatic bridge breaking aluminum smart lock



Optional low handles for front and rear

Black

TECHNICAL PARAMETERS/FUNCTIONS

Product model	0907
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 300
Product color	Black
Power supply mode	4*AAA
Packing specification	1ctn 10PCS
Whole package parameters	0.13m ³
Weight of the whole CTN	19.4kg
Applicable temperature	-20°C-70°C
Applicable door thickness	30-120mm



Fingerprint



Password



Card



Key



Temporary password



Ttlock App (Optional)




Tuya App (Optional)



USB

PRODUCT SIZE



OPTIONAL LOCK BODY



85 series multi-point lock body



85 series single point lock body



85 double channel series single point lock body



85 double-channel series multi-point lock body



92 series single point lock body

Automatic bridge breaking


aluminum 3D face smart lock



Black


Silver

PRODUCT SIZE



TECHNICAL PARAMETERS/FUNCTIONS

Product model	0908
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total200
Face capacity	50
Product color	Black/Silver
Power supply mode	3000mAH
Packing specification	1ctn 10PCS
Whole packageparameters	0.13m ³
Weight of the wholeCTN	22.95kg
Applicable temperature	-25°C-70°C
Applicable door thickness	30-120mm



OPTIONAL LOCK BODY



85 series multi-point lock body

85 series single point lock body

85 double channel series single point lock body

85 double-channel series multi-point lock body

92 series single point lock bod



GLASS DOOR SMART LOCK




Glass door smart lock




 black

TECHNICAL PARAMETERS/FUNCTIONS

Product model	1105
Main material	Aluminium alloy
Fingerprint/password/credit card capacity	Total 200
Product color	black
Power supply mode	4*AA
Packing specification	1ctn 10PCS
Whole packageparameters	0.057m³
Weight of the wholeCTN	14.58kg
Applicable temperature	-20°C-70°C
Applicable door thickness	8-12mm



PRODUCT SIZE







LOCK BODY/LOCK FRAME SERIES PACKAGING/ACCESSORIES




6068 SERIES




1401 (388*30mm)



1402 (388*40mm)



1403 (388*30mm)



1404 (388*24mm)

85 SERIES



1405 (240*22mm)



1406 (240*22mm)




1407 (240*22mm)



1408 (240*22mm)



1409 (240*22mm)




1410 (240*22mm)




1411 (240*22mm)


92 SERIES




1424 (30*92mm)



1425 (30*92mm)




1426 (34*92mm)




1427 (34*92mm)


92 SERIES




1424 (30*92mm)



1425 (30*92mm)




1426 (34*92mm)




1427 (34*92mm)


50 SERIES




1428 [125*22mm1]




1429 [147*22mm]




1430 [160*22mm]




1431 [165*22mm1]




1432 [170*22mm1]




1433 [175*22mm]



1434 [180*22mm]



1435 [190*22mm]



1436 [200*22mm]

72 SERIES



437 (235*22mm)



1438 (235*20mm)



1439 (235*22mm)



1440 (235*22mm)


SPECIAL LOCK BODY FOR ISRAEL AND TÜRKIYE



6085

RUSSIA SERIES 60x85MM

TURKISH SPECIAL LOCK BODY




6590

65x90MM

Israel special lock body

OTHER LOCK BODY SERIES

Single Tongue Lock Body




1441 (60-70mm)

Dead Bolt Lock Body



1442 (60mm)

4558 lock body



**1444
4558**

Lock Frame



1601

Dimensions high 440 chassis wide 240
Suitable for single tongue
lock body/single lock



1623

Dimensions high 440 chassis wide 240
Suitable for Bull Head Lock



1624

Dimensions high 440 chassis wide 240
Suitable for Glass Lock



1603

Dimensions high 440 chassis wide 240
Suitable for 50 lock body/single lock



1610

Size height 600 chassis width 240
Applicable 6068 lock body
24*240/ single lock



1606

Size height 600 chassis width 240
Applicable 3585 lock
body/single lock

Lock Frame



1602

Size height 1000 chassis width 300
Suitable for single tongue
lock body/single lock



1604

Size height 1000 chassis width 300
Suitable for 50 lock body/double lock



1605

Dimensions height 1280
chassis width 450
Suitable for 50 lock
bodies/four locks



1607

Dimensions height 1280
chassis width 300
Applicable 3585 lock
body/double lock



1608

Size height 600 chassis width 240
Applicable 6085 lock body
28* 300/ single lock



1609

Size height 1000 chassis width 300
Applicable 6085 lock body
28* 300/ single lock



1611

Size height 1000 chassis width 300
Applicable 6085 lock body
28* 240/ single lock



1612

Dimensions height 1280 chassis width 300
Applicable 6068 lock body
40* 388/ single lock




1613

Dimensions height 1680 chassis width 450
Applicable 1680 lock body
24* 240/ four lock



1614

Dimensions height 1680 chassis width 30
Applicable 6068 lock body
388/two lock




1503

Four-door showcase



1504

Six-door showcase



1505

Eight-wall display case




1705
Special drip card



1713
Special lithium battery



1725
Small lithium battery



1708
Hotel Card



1710
Special automatic
lock core



1726
Back Screen



Unmarked colorful door lock paper box



Unmarked kraft paper entry door lock paper box



Unmarked kraft paper entry door lock paper box



Unmarked kraft paper entry door lock paper box



Unmarked kraft paper entry door lock paper box



Unmarked colorful door lock paper box



Unmarked colorful door lock paper box